

Provisional Diagnostic Criteria for Depression in Alzheimer's Disease

		Yes	No
	A. Three or more of the following criteria over the same 2-week period, representing a change from previous functioning:		
At least one of these two criteria must be present.	┌ 1. Depressed mood (sad, hopeless, discouraged, tearful).	<input type="checkbox"/>	<input type="checkbox"/>
	└ 2. Decreased positive affect or pleasure in response to social contacts and activities.	<input type="checkbox"/>	<input type="checkbox"/>
	3. Social isolation or withdrawal.	<input type="checkbox"/>	<input type="checkbox"/>
	4. Disruption in appetite.	<input type="checkbox"/>	<input type="checkbox"/>
	5. Disruption in sleep.	<input type="checkbox"/>	<input type="checkbox"/>
	6. Psychomotor agitation or retardation.	<input type="checkbox"/>	<input type="checkbox"/>
	7. Irritability.	<input type="checkbox"/>	<input type="checkbox"/>
	8. Fatigue or loss of energy.	<input type="checkbox"/>	<input type="checkbox"/>
9. Worthlessness, hopelessness or excessive guilt.	<input type="checkbox"/>	<input type="checkbox"/>	
10. Recurrent thoughts of death or suicidal ideation.	<input type="checkbox"/>	<input type="checkbox"/>	
B. All criteria are met for dementia of the Alzheimer's type.	<input type="checkbox"/>	<input type="checkbox"/>	
C. Symptoms cause distress or disruption in functioning.	<input type="checkbox"/>	<input type="checkbox"/>	
D. Symptoms do not occur exclusively during delirium.	<input type="checkbox"/>	<input type="checkbox"/>	
E. Symptoms are not due to substances (medications or drugs of abuse).	<input type="checkbox"/>	<input type="checkbox"/>	